


W-08-23-0883



:	HCTAYZ-50-22
:	7/8
:	
:	





7/8

105

105

50

HCTAYZ-50-22

7/8

HCTAYZ-50-22 7/8

2022 1 1 -2022 12 31

1467 kg CO₂-eq

1.		3
2.		3
3.		3
4.		4
4.1		4
4.2		4
4.3		4
4.4		4
4.4.1		4
4.4.2		5
5.		5
5.1		5
5.2		6
5.3		6
5.3		7
6.		7
6.1		7
6.1.1	cut-of	7
6.1.2		7
6.2		8
6.2.1	cut-of	8
6.2.2		8
6.3		8
7		8
7.1		9
7.2		9
7.2.1		9
7.2.2		10
7.3		10
8		11
8.1		11
8.2		11
8.3		11
8.4		11

1.

HCTAYZ-50-22 7/8

“ ”

IPCC 2021 GWP100

100

IPCC 2006

2019

2.

HCTAYZ-50-22 7/8



4.

4.1

100~5800MHz

4.2

HCTAYZ-50-22 7/8

YD/T 1092-2013

4.3



4.4.2

W-08-23-0883

5.

5.1

2022	1	1	2022	12	2022
------	---	---	------	----	------



	HDPE		47.25	kg
	LDPE		14.8	kg
			0.95	kg
	JF-G103		0.84	kg
	T2		100	kg
	B		125	kg
			80	kg/km
			18	kg/km

2

		70%30T+30%10T	922	km
		30T	73	

3

	54.68357771	kwh	0.719529101	m³

4

		/km			/T
		323523		30%5T+30%10T+20%30T	0.48

5.2

*

bom

bom

*

*

*

*

5.3



Ecoinvent 3

IPCC 2006

2019

()

2

2022 10

2022

5.3

5 Ecoinvent 3-allocation at point of substitution–unit

Polyvinylchloride, bulk polymerised {GLO} market for APOS, U
Polyethylene, low density, granulate {GLO} market for APOS, U
Copper-rich materials {GLO} market for copper-rich materials APOS, U
Electricity, medium voltage {CN} market group for APOS, U
Tap water {GLO} market group for APOS, U

6.

6.1

≤ 1%
0.05%
≤ 5%

6.1.1

cut-of

0.05%

6.1.2

2022 1 1 2022 12 31



6.2


 $\leq 0.5\%$

6.2.1

cut-of

6.2.2

6.3

IPCC

2019


GWP100

7


		1467	kgCO ₂ -eq
Crimping		484	
Foaming		442	
Sheath		306	
Inspection and packaging		164	
Upstream transportation		69	
Downstream transportation		2.05	
			kgCO ₂ -eq
Sheath material		282	
Copper tube		287	
Foam polyethylene		131	
Copper strip		479	



7.1




1



7.2

7.2.1






cut-of

7.2.2

IPCC 2021 GWP100 V1.01



3	-	GWP100
1469 kg CO ₂ -eq	43.4	1467 kg CO ₂ -eq 95% 2.96%

7.3



